
Healing-Targeted Drug Eluting Stent

**FIT SUPREME** 

Drug Coated Coronary Stent System




Advanced Coating System | Safe Clinical Data | Superior Deliverability |



## **HEALING-TARGETED**

# A new class of DES tailored for rapid healing



### Rapid Bioabsorption

Biodegradable polymer is absorbed in less than 60 days<sup>2</sup> leaving an eG coated stent and allowing for faster, unhindered reendothelialization to occur.



<sup>1</sup> von Birgelen C. et al. First-in-man randomised comparison of the BuMA Supreme biodegradable polymer sirolimus-eluting stent versus a durable polymer zotarolimus-eluting coronary stent: the PIONEER trial. EuroIntervention. 2018 Apr 20;13(17):2026-2035.

<sup>2</sup> Data on file at SINOMED.

## SAFETY-TARGETED





\* Value is significantly higher than HT Supreme. † Value is significantly lower than other DES.

### Functional Healing

Preclinical data showed less Evans Blue uptake, indicating healthier healing of endothelial cells and better return of functionality.

### Safe Outcomes

HT Supreme demonstrated low event rates in clinical trials. Long-term results may show an advantage of the healing effect.




<sup>3.</sup> Data on file at SINOMED.

<sup>4</sup> Lansky et al. Novel Healing-Targeted DES with Synchronized Antiproliferative Drug Delivery to Target Smooth Muscle Cell Proliferation after DES implantation in Coronary Artery Disease. Oral presentation. AHA Late-Breaking Trials Session 2020.


## **CONSISTENCY-TARGETED**


### eG<sup>®</sup> coated for stronger coating integrity and more consistent results

### How eG Coating is Made?



Stent is submerged in a monomer solution, an electric current is applied and coating is electro-grafted to the stent. Electric current is cycled, causing a brush-like structure of eG coating to be synthesized onto the surface of the stent.





The filament-like structure of the *e*G coating allows interdigitation of the PLGA coating, forming a strong bond.



*e*G coating allows the polymer to have excellent coating integrity, even after tortuous-path testing and balloon expansion (seen in scanning electron microscopy<sup>5</sup>).

## **DELIVERABILITY-TARGETED**

# Stent and delivery system designed for excellent deliverability

#### Better metal-to- o artery ratio

Stent design allows for better scaffolding and consistent drug release.

inner in the second

### Thin strut design

Cobalt chromium stent material with thin-strut design for better outcomes.

0

### Lubricious coating

Lubricious coating on the distal shaft improves deliverability for difficult lesions.

### Helical connectors

Three-helical connectors per segment allows for better flexibility without sacrificing stability.

### **Technical Information**

Stent Material	Cobalt Chromium Alloy	Strut Thickness	80 µm
Base Layer	eG <sup>®</sup> Coating	Recommend Guiding Catheter	5 F
Polymer Material	PLGA	Recommend Guiding Wire	0.014"
Drug Dose	Sirolimus 1.2 µg / mm²	Delivery System Length	145 cm

### **Ordering Information**

Diameter	Length (mm)							
(mm)	10	15	20	25	30	35		
2.25	BMA-2.2510	BMA-2.2515	BMA-2.2520	BMA-2.2525	BMA-2.2530	BMA-2.2535		
2.50	BMA-2.5010	BMA-2.5015	BMA-2.5020	BMA-2.5025	BMA-2.5030	BMA-2.5035		
2.75	BMA-2.7510	BMA-2.7515	BMA-2.7520	BMA-2.7525	BMA-2.7530	BMA-2.7535		
3.00	BMA-3.0010	BMA-3.0015	BMA-3.0020	BMA-3.0025	BMA-3.0030	BMA-3.0035		
3.25	BMA-3.2510	BMA-3.2515	BMA-3.2520	BMA-3.2525	BMA-3.2530	BMA-3.2535		
3.50	BMA-3.5010	BMA-3.5015	BMA-3.5020	BMA-3.5025	BMA-3.5030	BMA-3.5035		
4.00	BMA-4.0010	BMA-4.0015	BMA-4.0020	BMA-4.0025	BMA-4.0030	BMA-4.0035		

### **Compliance Information**

Pressure (atm)	Diameter ( mm )						
	2.25	2.50	2.75	3.00	3.25	3.50	4.00
10	2.25	2.50	2.75	3.00	3.25	3.50	3.80
12	2.29	2.62	2.83	3.09	3.32	3.63	4.00
16	2.38	2.77	3.00	3.26	3.49	3.85	4.14
18	2.43	2.85	3.07	3.34	3.57	3.98	-

NP RBP

© SINOMED - All rights reserved.

SINOMED is a registered trademark of Sino Medical Sciences Technology Inc. in China, Europe and USA.  $eG^{\circ}$  is a registered trademark of AVENI in Europe, Taiwan, Singapore, Israel and Canada.

#### Sino Medical Sciences Technology Inc.

SINOMED B.V

2nd Floor, TEDA Biopharm Res, Building B #5 4th St, TEDA Tianjin, China T: +86 022 5986 2900 F: +86 022 5986 2904 www.sinomed.com Wilhelminakade 173, 3072AP Rotterdam The Netherlands T: +31 10 307 6295 F: +31 10 307 6296 E: globalbusiness@sinomed.com



